Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		("702"/\$.ccis. or "345"/\$.ccis.) and connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))near10 (drag\$4 or (drag\$4 and drop\$4) or (user adjinterfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)near15 connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:22
		("702"/\$.ccls. or "345"/\$.ccls.) and connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))near10 (drag\$4 or (grag\$4 and drop\$4) or (user adjinterfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)near10 connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:16
		("702"/\$.ccls. or "345"/\$.ccls.) and connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))near10 (drag\$4 or (drag\$4 and drop\$4) or (user adjinterfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)same connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:22

٠.

("702"/\$.ccls. or "345"/\$.ccls.) and connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))near10 (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)same connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:16
("702"/\$.ccls. or "345"/\$.ccls.) and connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adjinterfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)same connect\$4 near10 ((pin or pins)and (element\$1 or component\$1 or device\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	@FF	2005/01/03 16:16
("702"/\$.ccls. or "345"/\$.ccls.) and connect\$4 near15 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)same connect\$4 near15 ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/01/03 16:15

and compins)and compone circuit\$1 engine\$ (grag\$4 interface editor o modifica whether connect (elemen	s.ccls. or "345"/\$.ccls.) nect\$4 same ((pin or l (element\$1 or ent\$1 or device\$1 or or module\$1 or 1))same (drag\$4 or and drop\$4) or (user adj \$3 or gui or select\$4 or r editing or modify\$3 or ation))and (state\$1 or or when or if)same \$4 same ((pin or pins)and at\$1 or component\$1 or 1 or circuit\$1 or module\$1 ne\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/01/03 16:13
and con pins)and comport comport circuits engines (grags4 interface editor comport whether connect (elements)	\$.ccls. or "345"/\$.ccls.) inect\$4 near15 ((pin or d (element\$1 or nent\$1 or nent\$1 or nent\$1 or neotises (element\$1 or neotises (element\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:11
"345"/s ((pin of composition) circuits engine (grags) interface editor of modifice	\$.ccls. and connect\$4 same r pins)and (element\$1 or nent\$1 or device\$1 or 1 or module\$1 or 1 or 1 or guide or 1 or guide or select\$4 or 1 or editing or modify\$3 or 1 or eation))and (state\$1 or 1 or when or if)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:07
((pin o compo circuits engine (grag\$ interfa editor modifi	\$.ccls. and connect\$4 same r pins)and (element\$1 or nent\$1 or series or series of the content of	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:04

		345/440 and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:02
		"6738964"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:51
		"6738964" and (target\$1 or "secondary" or "secondary processing" or "secondary processing system")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:16
		"6738964"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:14
S1	43	"4868785"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:51
S2.	8	"4868785" and pins	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:52
S3	6	"4868785" and pins same connect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	==	OFF	2005/01/03 15:53
S4	2	"4868785" and pins same connect\$5 same (state or when or whether or if)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		OFF	2005/01/03 15:53
S5	1	"4868785" and pins same connect\$5 same (state or when or whether or if)and (web or internet or net or lan or wan or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		OFF	2005/01/03 15:58

S6	1782	345/440	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:58
S7.	1388	345/440 and connect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ØFF	2005/01/03 15:58
S8	1407	345/440 and connect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:58
59	27	345/440 and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF	2005/01/03 16:00
S10	8	345/440 and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:29
S11	4	345/440 and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))same (user or manual42)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:44
S12	4		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		OFF	2005/01/03 16:32

S13	1	702/68 and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))same (user or manual\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:32
S14	8	345/440 and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adjinterfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:34
S15		702/68 and connect\$4 same ((pin or pins)and (element\$1 or component\$1 or device\$1 or circuit\$1 or module\$1 or engine\$1))same (drag\$4 or (grag\$4 and drop\$4) or (user adj interfac\$3 or gui or select\$4 or editor or editing or modify\$3 or modification))and (state\$1 or whether or when or if)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:35
S16	2	"6738964" and (user or gui or manual\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:44
S17	2	"6738964" and (user or gui or manual\$2)and (state\$1 or whether or if or when or indicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		OFF	2005/01/03 16:45

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8)and edit\$4 near3 web near1 process\$5 and (connect\$5 or pin or pins)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:53
		S4 AND (EDIT\$4 OR MODIF\$9)AND (WEB OR NET OR INTERNET OR NETWORK\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	200 <del>4</del> /12/02 17:27
		S4 AND (EDIT\$4 OR MODIF\$9)AND (WEB OR NET OR INTERNET OR NETWORK\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/05 10:49
S1	3	"6738964"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:16
<b>S2</b>	2	"6738964" AND (EDIT\$4 OR MODIF\$9)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:16
S3	2	"6738964" AND (EDIT\$4 OR MODIF\$9)AND (WEB OR NET OR INTERNET OR NETWORK\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		OFF	2004/12/02 17:25
S4	202	"6139177" OR "6170007" OR "5956487" OR "4634970" OR "4818932" OR "4906916"	US-PGPUB; USPAT; USOGR; EPO; JPO; DERWENT; IBM_TDB		ØFF	2004/12/02 17:24

S5	76	S4 AND (EDIT\$4 OR MODIFY OR MODIFIED OR MODIFICATION OR MODIFYING) AND (WEB OR NET OR INTERNET OR NETWORK\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:28
S6	49	S4 AND (EDIT\$4 OR MODIFY OR MODIFIED OR MODIFICATION OR MODIFYING) SAME (WEB OR NET OR INTERNET OR NETWORK\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:29
S7	120	S4 AND (EDIT\$4 OR MODIFY OR MODIFIED OR MODIFICATION OR MODIFYING OR CONNECT OR CONNECTING OR CONNECTED) SAME (WEB OR NET OR INTERNET OR NETWORK\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:30
58	0	S4 AND (EDIT\$4 OR MODIFY OR MODIFIED OR MODIFICATION OR MODIFYING OR CONNECT OR CONNECTED)  SAME (WEB OR NET OR INTERNET OR NETWORK\$4)AND PROCXESSOR\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:30
S9	94	S4 AND (EDIT\$4 OR MODIFY OR MODIFIED OR MODIFICATION OR MODIFYING OR CONNECT OR CONNECTING OR CONNECTED) SAME (WEB OR NET OR INTERNET OR NETWORK\$4)AND PROCESSOR\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:31
S10	27	S4 AND ((EDIT\$4 OR MODIFY OR MODIFIED OR MODIFICATION OR MODIFYING OR CONNECT OR CONNECTING OR CONNECTED)  SAME (WEB OR NET OR INTERNET OR NETWORK\$4))SAME  PROCESSOR\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/02 17:31
S11	1	"6738964".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		OFF	2004/12/04 14:02
S12	0	"6738964".uref. and procssor\$1	US-PGPUB; USPAT; USOER; EPO; JPO; DERWENT; IBM_TDB		OFF	2004/12/04 14:02

S13	0	"6738964" and procssor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:03
S14	3	"6738964"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:03
S15	3	"6738964" and process\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:21
S16	205	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:22
S17	152	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )and processor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:22
S18	120	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )and processor\$1 and (web or netrwork43 or internet or net or intranet or lan or wan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:23
S19	24	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )and processor\$1 same (web or netrwork43 or internet or net or intranet or lan or wan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		OFF	2004/12/04 14:24

S20	21	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )and processor\$1 same (web or netrwork43 or internet or net or intranet or lan or wan)and (configur\$6 or custom or customiz\$3 or customization\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:25
S21	4	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )and processor\$1 same (web or netrwork43 or internet or net or intranet or lan or wan)same (configur\$6 or custom or customiz\$3 or customization\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:32
S22	105	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )and processor\$1 and (web or netrwork43 or internet or net or intranet or lan or wan)and (configur\$6 or custom or customiz\$3 or customization\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:25
S23	4	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )and processor\$1 same (web or netrwork43 or internet or net or intranet or lan or wan)same (configur\$6 or custom or customiz\$3 or customization\$1)and (location or position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:36
S24	37	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )and processor\$1 and (web or netrwork43 or internet or net or intranet or lan or wan)same (configur\$6 or custom or customiz\$3 or customization\$1)and (location or position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:36

S25	91	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )and processor\$1 and (web or netrwork43 or internet or net or intranet or lan or wan)and (configur\$6 or custom or customiz\$3 or customization\$1)and (location or position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:36
S26	1	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )and processor\$1 and (web or netrwork43 or internet or net or intranet or lan or wan)and (configur\$6 or custom or customiz\$3 or customiz\$1 or location or position)same pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:36
S27	42	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )and processor\$1 and (web or netrwork43 or internet or net or intranet or lan or wan)and (configur\$6 or custom or customiz\$3 or customization\$1)and (location or position)same (connect\$5 or pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:37
S28	13	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )and processor\$1 and (web or netrwork43 or internet or net or intranet or lan or wan)and (configur\$6 or custom or customiz\$1 or customization\$1)and ((location or position)same (connect\$5 or pin))same process\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:49
S29	22612		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		OFF	2004/12/04 14:50

S30	10710	("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:50
S31	617	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:51
S32	69	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8)and edit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:51
S33	5	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8)and edit\$4 near3 web near1 process\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:53
S34	61	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8 or edit\$4) same web near1 process\$5 and (connection\$1 or connecting or connect\$2 or pin or pins)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:09
S35	48	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8 or edit\$4) same (lan or wan or net or network\$4 or web internet\$1 or intranet\$1) near5 process\$5 and (connection\$1 or connecting or connect\$2 or pin or pins)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:56

S36	43	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8 or edit\$4) same (lan or wan or net or network\$4 or web internet\$1 or intranet\$1) near5 process\$5 and (connection\$1 or connecting or connect\$2 or pin or pins)same (configur\$6 or custom\$8 or edit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:59
S37	4	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8 or edit\$4) same (lan or wan or net or network\$4 or web internet\$1 or intranet\$1) near5 process\$5 and (connection\$1 or connecting or connect\$2 or pin or pins)near3 (configur\$6 or custom\$8 or edit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ÖFF	2004/12/04 15:02
S38	13	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8 or edit\$4) same (lan or wan or net or network\$4 or web internet\$1 or intranet\$1) near5 process\$5 and (connection\$1 or connecting or connect\$2 or pin or pins)near5 (configur\$6 or custom\$8 or edit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:02
S39	17	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8 or edit\$4) same (lan or wan or net or network\$4 or web internet\$1 or intranet\$1) near5 process\$5 and (connection\$1 or connecting or connect\$2 or pin or pins)near7 (configur\$6 or custom\$8 or edit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04:14:59

S40	17	(("5386568" or "5590349" or	US-PGPUB;	AND	OFF	2004/12/04 14:59
		"5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8 or edit\$4) same (lan or wan or net or network\$4 or web internet\$1 or intranet\$1) near5 process\$5 and (connection\$1 or connecting or connect\$2 or pin or pins)near9 (configur\$6 or custom\$8 or edit\$4)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S41	19	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8 or edit\$4) same (lan or wan or net or network\$4 or web internet\$1 or intranet\$1) near5 process\$5 and (connection\$1 or connecting or connect\$2 or pin or pins)near11 (configur\$6 or custom\$8 or edit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 14:59
S42	19	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8 or edit\$4) same (lan or wan or net or network\$4 or web internet\$1 or intranet\$1) near5 process\$5 and (connection\$1 or connecting or connect\$2 or pin or pins)near15 (configur\$6 or custom\$8 or edit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:05
S43	43	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8 or edit\$4) same (lan or wan or net or network\$4 or web internet\$1 or intranet\$1) near5 process\$5 and (connection\$1 or connecting or connect\$2 or pin or pins)same (configur\$6 or custom\$8 or edit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:08

S44	3	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8 or edit\$4) same (lan or wan or net or network\$4 or web internet\$1 or intranet\$1) near5 process\$5 and (connection\$1 or connecting or connect\$2 or pin or pins)same (configur\$6 or custom\$8 or edit\$4)and "345"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:09
S45	0	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8 or edit\$4) same web near1 process\$5 and (connection\$1 or connecting or connect\$2 or pin or pins)and 345/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:10
S46	5	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8 or edit\$4) same web near1 process\$5 and (connection\$1 or connecting or connect\$2 or pin or pins)and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:20
S47	14	(("5386568" or "5590349" or "5774721" or "5801942" or "5950001" or "6263492" or "6437805" or "6738964" )or web near1 process\$5)same (location or position ) and (configur\$6 or custom\$8 or edit\$4) same web near1 process\$5 and (connection\$1 or connecting or connect\$2 or pin or pins)and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:15
S48	1	cake and blackman.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:20

S49	0	web near2 processing and blackman.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/04 15:20
S50	3	"6788311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/05 11:30
S51	0	"6788311".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/05 10:50
S52	0	"6788311".uref.	US-P.GPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/05 10:50
S53	2	"6750864"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/05 11:30